



Developing a new questionnaire

Henrik Hein Lauridsen
Associate Professor
Research unit for Clinical Biomechanics



1

Prior considerations



2


Types of variables

Observable variables – ‘directly’ measurable variables

- What is your weight (kg)?
- Have you been admitted to a hospital in the last year (Y/N)?
- Grip strength (Nm)

Latent variables – ‘indirectly’ measurable variables

- What is your weight? (high/average/low)?
- Do you trust your doctor?
- Are you satisfied with your treatment?
- Are you happy?



3

Latent variables and factors

Almost all latent variables are multifactorial

- I.e. more factors are necessary to describe a certain variable

Each factor can be described with

- A global item or an instrument consisting of more items (a multi-item-scale)
- Also called a dimension

SDU

4

A construct

A construct is a *theoretical, unobservable* attribute inferred from patterns in *observable* indicators

Explains covariation among indicators


Example

- **Construct:** Working memory capacity
- **Definition:** A person's limited capacity to hold and manipulate information over short periods to guide ongoing thinking and behavior
- **Example indicators:**
 - Digit span backward (repeat numbers in reverse order)
 - Letter-number sequencing (reorder mixed letters/numbers into correct sequence)
 - Reading span: read sentences (judge sensibility) while remembering last words
 - Keep-track task: track the most recent items from several categories

The process

6 steps:

1. Definition of the construct to be measured
2. Choice of measurement method
3. Selecting and formulating items
4. Scoring issues
5. Pilot testing
6. Field testing



Definition of the construct(s)

3 questions:

What do we want to measure?

Example - diabetes

- Pathophysiological processes
- Symptoms
- Functioning
- Quality-of-Life
- Uni- or multidimensional
- ...

Conceptual model
(Day 1 and advanced course)

DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS




7

Use a conceptual model

"A theoretical model of how different constructs within a concept are related"

Two methods

- Use an existing theoretical framework and align your instrument items to it
- Develop your own conceptual model via qualitative concept elicitation, expert input and cognitive interviewing



8

Definition of the construct(s)

3 questions:

What do we want to measure?

In which population?

Example - diabetes

- Pathophysiological processes
- Symptoms
- Functioning
- Quality of life
- Uni- or multidimensional

Tailored to the target population

- E.g. age, sex, severity, comorbidity etc...

DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS



Definition of the construct(s)

3 questions:

What do we want to measure?

In which population?

What is the purpose?

Example - diabetes

- Pathophysiological processes
- Symptoms
- Functioning
- Quality of life
- Uni- or multidimensional

Tailored to the target population

- E.g. age, sex, severity, comorbidity Aso...

Diagnostic → discriminative instrument

Evaluation → change over time

Prediction → classify pts. according to future outcome

DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS



Definition of the construct(s)

↓

Development of
• Items
• Responses

↙

Operationalisation

Definition

i.e. from our conceptualisation

The process of transforming an abstract concept into a precise definition that is measurable and testable; creating **operational definitions**.

○
○
○

We define the domain

DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS **SDU**

11

Definition of the construct(s) → Conceptualisation

↓

Development of
• Items
• Responses → Operationalisation

} Development & Content validity

Input for items:

- *Existing items*
 - Literature searches
 - Other PROs
 - Experts
- *New items*
 - Qualitative research (focus groups or individual interviews)
 - Patients
 - Researchers
 - Clinicians
 - Other relevant individuals




DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS **SDU**

12

Operationalisation

RESEARCH

Open Access

Conceptualization, operationalization, and content validity of the EQOL-questionnaire measuring quality of life and participation for persons with disabilities

Louise Norman Jespersen¹, Susan Ishay Michelsen, Bjørn Ewald Holstein, Tine Tjørnhøj-Thomsen and Pernille Due

Qualitative research

- Use themes and indicators (codes) to formulate items

Example

Theme: *"Fear of being left by partner"*



Operationalisation

"Does your disability cause fear of being left by your partner/potential partner?"

Aim: To transform complex themes & codes from qualitative research into items which can be answered by respondents

DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS



13

Please answer the following questions and remember or write it down

Question 1: 8 seconds



DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS



14

Question 1

A week ago, there was a plane crash on the French side of the border between Spain and France. Where should the government bury the survivors – in Spain or France?

DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS



15

Remember or write answer down



Question 2: 8 seconds

DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS



16

Question 2

The Ark housed a variety of animals to save them from extinction during a world-engulfing flood. Approximately how many animals of each kind did Moses take with him on the Ark?

DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS



17

Remember or write answer down



DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS



18

What are the



A week ago, there was a plane crash on the French side of the border between Spain and France. Where should the government bury the survivors – in Spain or France?

- You don't bury survivors

The Ark housed a variety of animals to save them from extinction during a world-engulfing flood. Approximately how many animals of each kind did Moses take with him on the Ark?

- It was not Moses but Noah

So what happened?

DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS



19

Development of items

Beware of caveats in item formulation – day 1

Reading a text requires two things:

- **(1) Automatic processes (system 1)**
 - Fast, effortless, often unconscious, pattern-based
 - Supports: word/letter recognition, lexical access, much syntactic parsing becomes **automatised** in skilled reading

Assigning a grammatical structure to a sentence as you read, figuring out how words group into phrases and who does what to whom. It identifies parts of speech and relations (subject, verb, object, modifiers), enabling you to compute meaning.

Example

"I saw the man with the telescope."

- (a) I used a telescope; or
- (b) the man had a telescope

Elfenbein, A. The Gist of Reading, Stanford University Press
Jytte fra marketing er desværre gået for i dag, Morten Münster

DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS




20

Development of items

Reading a text requires two things:

- **(2) Controlled processes (system 2)**
 - Slow, reflective, effortful, consciously directed
 - Supports: comprehension monitoring, resolving ambiguity, reanalysis ("garden-path" sentences), making inferences, integrating across text and prior knowledge, critical evaluation



Example

"While Anna dressed the baby played in the crib."

At first it seems that *Anna dressed the baby*
The main clause is *the baby played...*

Elfenbein, A. The Gist of Reading, Stanford University Press
Jytte fra marketing er desværre gået for i dag, Morten Münster

DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS



21

Development of items

Question 1:
The **automatic reading** will focus on the location
The **controlled reading** will recognize that you don't bury survivors

Question 2:
The **automatic reading** is to answer 2 animals
The **controlled reading** will analyse and reflect that it was not 'Noah'

TAKE HOME MESSAGE

Effective reading is an **interactive process**: fast, largely **automatic routines** (word recognition, much syntactic parsing, prediction) work in parallel with **controlled** effortful processes that engage when needed to monitor comprehension, resolve ambiguity, make inferences, and think critically about the text. Skilled readers flexibly shift load between the two.

Resolved (partly) by pilot testing

Most often this does not happen when patients answer questionnaires...

DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS



22

Another fun example... you have 4 s. to read



Thulesen Dahl sender stilpikke til Pia K: Hun var ikke klar til at slippe magten

What did you read?

DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS



23



Thulesen Dahl sender stilpikke til Pia K: Hun var ikke klar til at slippe magten

DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS



24

Other things to keep in mind (item development)

- The construct
- The target population
- The purpose of the measurement
- Reflective vs. formative model

QUESTIONS	
1-	<input checked="" type="radio"/> A B C D
2-	A B C <input checked="" type="radio"/> D
3-	A <input checked="" type="radio"/> B C D
4-	A <input checked="" type="radio"/> B C D
5-	A B <input checked="" type="radio"/> C D
6-	<input checked="" type="radio"/> A B C D

DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS



25

Other things to keep in mind (item development)

- The construct
- The target population
- The purpose of the measurement
- Reflective vs. formative model
- Difficulty of the items
- Application in research or clinical practice
- Correspondence with response options

QUESTIONS	
1-	<input checked="" type="radio"/> A B C D
2-	A B C <input checked="" type="radio"/> D
3-	A <input checked="" type="radio"/> B C D
4-	A <input checked="" type="radio"/> B C D
5-	A B <input checked="" type="radio"/> C D
6-	<input checked="" type="radio"/> A B C D

DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS



26

Response options

Scoring

- *Nominal*
 - E.g. present/absent; Denmark, Turkey, Ireland etc.
- *Ordinal*
 - E.g. Likert → agree - - - - disagree
- *Interval*
 - E.g. body temperature
- *Ratio*
 - E.g. age, tumour size (absolute 0)

↑ sophisticated quantitative procedures



DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS



27

Construction of response categories

Categorical vs. continuous scale

- If possible use continuous (e.g. exact age or height)

Number of response categories

- No more than 7. Between 4-7 is optimal

Even or uneven number of response categories


- Even: Force respondents to 'have' an opinion
- Uneven: It is possible for respondents to be neutral

Make sure the categories are relevant, exhaustive and exclusive


DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS




28




29




30




31



32



33



34

Main points when developing a new questionnaire

- **A process of 6 steps**
 - Definition of the construct to be measured
 - Choice of measurement method
 - Selecting and formulating items
 - Scoring issues
 - Pilot testing
 - Field testing
- **Establishing content validity is most important**
 - Conceptualisation
 - Operationalisation
 - Item development
- **Is a difficult process where you have to be critical and observant**
 - Item understanding
- **Is an iterative process with many steps**
 - Pilot test
 - Field test
- **Is a time consuming process which should be avoided if a questionnaire already exists**

DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS



35

A small quiz!

On your telephone or computer:

1. Open a browser
2. Login on: PollEv.com/hh1
3. Answer the questions

How do we do it?

1. Answer on your own
2. Plenary session




DEPARTMENT OF SPORTS SCIENCE AND CLINICAL BIOMECHANICS



36



37



38

